





# 空氣潔淨及通風設備

EQUIPMENT & SOLUTIONS THAT MAKE A DIFFERENCE



獻寶淨化科技（香港）有限公司  
Treasure Purification Technology (HK) Ltd.

 (852) 3182 6968

 info@tx-5.com.hk

 www.tx-5.com.hk

Dealer / 特約經銷商：

© 版權所有。未獲本公司授權，不得翻印、複製或使用本單張作任何商業用途。

© All rights reserved. Reproducing or using the contents of this leaflet is not allowed without prior authorization from XPOWER.

本系列產品在香港及澳門地區銷售  
These products are sold in HK and MO

- California USA -



# 目錄 CONTENT

- **XPOWER MANUFACTURE INC.** 總部設於美國加利福尼亞州，擁有超過 **25** 年專業產品開發經驗，具有市場上先進空氣處理設備開發及製造技術。
- 目前我們已與眾多客戶建立長期合作關係，全球分銷網絡正不斷擴大。
- 我們能提供一流的客戶體驗服務。售後團隊可為分銷商和終端用戶提供產品和配件支持。
- **XPOWER MANUFACTURE INC.** is headquartered in California, USA, with over 25 years of experience. We have advanced product development and production technology in the market .
- We have fostered long-term relationships with many business partners, as evidenced by our ever-growing global distribution network.
- We can provide our partners a first-class customer experience. Our customer service team offers product support and parts assistance for distributors and end users.

## 精密製造

- 我們的研發團隊推出一系列集成式創新產品，具有重量輕、噪音低、堅固耐用、節能且價格合理等特點。
- 我們的生產設備符合業內最高生產標準，產品符合全球多國安全認證。
- 我們是世界一流的工廠符合大型零售商的嚴格標準，確保產品質量和工作條件。

## Precision Manufacturing

- XPOWER's R&D engineers create fully integrated designs for innovative products that are lightweight, quiet, rugged and affordable - all without sacrificing power or durability.
- XPOWER equipment meets the highest production standards in the industry. Our products have globally recognized safety certifications.
- Our world-class factory meets the rigorous standards required by big box retailers - ensuring that product quality standards and ethical working conditions are maintained.



## 淨化設備 AIR SCRUBBERS

- PRO AP SERIES	pg 03
- AP-2000	pg 05
- X-2580	pg 06
- X-2830	pg 07

## 消毒設備 PURIFY EQUIPMENT

- HEPA AIR PURIFIER	pg 08
- AXIAL OZONE GENERATOR	pg 10
- FOGGER SERIES	pg 11

## 除濕機 DEHUMIDIFIERS

- XD-85LH	pg 13
-----------	-------

## 低位風機 LOW PROFILE AIR MOVER

- PL-700A	pg 14
-----------	-------

## DIY 乾燥方案 DIY DRYING SOLUTION

- DIY DRYING SOLUTION	pg 15
-----------------------	-------

## 管道風機 CONFINED SPACE FAN

- X-8 / X-12	pg 16
--------------	-------

## 軸流風扇 AXIAL FANS

- X-34AR / FC-420	pg 17
- FD-630D	pg 18

## 噴霧風扇 COOLING MISTING FAN

- FM-68WK / FM-88WK2	pg 19
----------------------	-------

## 吹風機 AIR MOVERS

- P-80A	pg 21
- P-230AT	pg 22
- P-400T / P-600TH	pg 23
- P-800TH	pg 24
- P-250T / P-250NT / P-450T	pg 25



# AP SERIES

## SMART PRO HEPA AIR PURIFICATION SYSTEMS



XPOWER AP 系列大容量空氣淨化器擁有強勁大風量，可以有效改善大型場所室內空氣品質。該系列產品還可在低速低噪音狀態下運行，適用於教室、企業、以及對噪音有要求的人流密集場所或粉塵大的裝修建築行業使用。

The XPOWER AP series high-capacity air scrubbers with sufficient high-velocity airflow are good for improving indoor air quality on large jobs. They can precisely control the speed to its lowest level for all-day ultra-quiet operation in settings like classrooms, businesses, and occupied facilities where the noise level is important or decoration and construction industry with large dusts.



AP-1500D

AP-1800D

AP-2500D

### 濾網 / FILTERS


	AP-1500D	AP-1800D	AP-2500D
尼龍濾網 Nylon Mesh Filter	NFS16	/	/
海綿濾網 Rigid Polyester Filter	/	RP20	RP24
初效濾網 Pleated Media Filter	PF16	PF19	PF23
活性炭濾網 Active Carbon Filter	CF35	CF35-490	CF50-595 (Optional)
HEPA 濾網 HEPA Filter	HEPA300-406PV	HEPA300-490PV	HEPA300-PV



通過先進的技術，我們的空淨機能在低速運作下保持相對靜音的狀態。

Powered by advanced technology, our air scrubbers can run incredibly quiet at the lowest setting.

### 細節 / PRODUCT FEATURES



採用無刷強力 DC 馬達，更節能高效  
Brushless DC motor for energy saving and high efficiency



人性化的風道設計，上進風，前出風，進風口不會被遮擋  
User-friendly design with upper air inlet and front outlet that does not block airflow



便捷的移動設計，PE 滾塑外殼工藝，無級調速和壓力錶  
Great mobility, PE rotor-molded polyethylene housing, variable speed and pressure gauge



配有空氣質量顯示燈，時刻監測空氣質量  
Equipped with a PM2.5 air quality monitor to monitor air quality in real-time



電線儲存箱設計，不工作時更好的保護電線及小件工具  
Power cord compartment to protect the power cord and other tools when the machine is not in operation



可加配風管，擴大服務應用範圍  
An optional duct is available to expand applications

Model	Volt & Cycle	Power	Air Changes Per Hour (100m³)	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
AP-1500D	220-240V~, 50Hz	220 W	11	1200 m³/h	20.8 kg	49.3 x 55.5 x 91 cm
AP-1800D	220-240V~, 50Hz	400 W	18	1900 m³/h	29.8 kg	57.4 x 63.9 x 94.6 cm
AP-2500D	220-240V~, 50Hz	900 W	30	3100 m³/h	44.4 kg	74.8 x 67.8 x 98.6 cm





# AP-2000

## PORTABLE HEPA AIR FILTRATION SYSTEM

XPOWER AP-2000 是一款商用空氣淨化器，專為大型工作場所淨化粉塵，促進空氣流通，提升空氣品質而設。配備 550W 馬達，可產生高達 2700 m<sup>3</sup>/h 的氣流，有效地對醫院、學校、競技場、體育館、會議廳、酒店等大型場所以及大型密集地方進行空氣淨化。

XPOWER AP-2000 is a commercial air scrubber designed to purify dust, promote air circulation, and improve air quality in large workplaces. Equipped with a 550W motor, it generates up to 2700 m<sup>3</sup>/h of airflow to efficiently remediate large spaces such as hospitals, schools, arenas, gyms, conference halls, hotels, and any other largely occupied areas.



# X-2580

## AIR SCRUBBER

XPOWER X-2580 是一款緊湊型專業空淨機，搭配 950m<sup>3</sup>/h 氣流，促進空氣循環和空氣淨化。四層過濾系統有效吸收、過濾 99.97% 低至 0.3 微米的污染物，去除異味，提升空氣淨化效果。五級速度有助調整氣流。可堆疊式設計，便於運輸。濾網指示燈有效提醒清潔或更換濾網。使用與 DIY 水災修復、霉菌修復、花粉除糞、家居裝修等應用。

The XPOWER X-2580 is a compact professional air purifier. 950m<sup>3</sup>/h airflow can be delivered for air circulation and purification. The 4-stage filtration system can effectively absorb and remove 99.97% of 0.3-micron sized particulates, neutralize odors, and maximize the effect of air purification. The five-speed control gives you the flexibility to adjust the airflow. Stackable design for easy transportation and indicator light for notifying clean or replace the filter. It is suitable for DIY disaster restoration, mold remediation, pollen & haze removal, home renovation, etc.

### 濾網 / FILTERS



12 寸出風口  
12" Exhaust Collar



- 1 無紡布濾網  
Non-woven Filter
- 2 環形面板無紡布濾網  
Ring Panel Non-woven Filter
- 3 HEPA 濾網  
Wood Box HEPA Filter

### 細節 / PRODUCT FEATURES




5 檔調速，  
濾網更換提示燈  
5 Adjustable Speeds,  
Filter Clean / Change Light



簡便開合設計，  
方便用戶快速更換濾網  
Tool-free filter changes  
to replace filter easily.


### 濾網 / FILTERS



- 尼龍濾網  
Nylon Mesh Filter
- 尼龍濾網  
Nylon Mesh Filter
- 活性炭濾網  
Activated Carbon Filter
- HEPA 濾網  
HEPA Filter

Model	Volt & Cycle	Power	Air Changes Per Hour (100m <sup>3</sup> )	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
AP-2000	220-240V~, 50Hz	550 W	27	2700 m <sup>3</sup> /h	50.9 kg	102 x 73.5 x 82 cm

Model	Volt & Cycle	Power	Air Changes Per Hour (100m <sup>3</sup> )	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
X-2580	220-240V~, 50Hz	220 W	9	950 m <sup>3</sup> /h	11.0 kg	42.2 x 26.4 x 48 cm







# X-2830


## AIR SCRUBBER



**XPOWER X-2830** 商用空氣淨化器，專為企業、診所、醫院、酒店、以及其他需要改善室內空氣品質場所而設。支持 5 檔風速，風量高達 950 m<sup>3</sup>/h。搭配電子屏，計時器功能，操作方便。採用 PM2.5 空氣質量指示燈，實現空氣質量可視化。消噪風道，快速清潔空氣，降噪節能。


The **XPOWER X-2830** commercial air scrubber is designed for businesses, clinics, hospitals, hotels, and other places where optimal indoor air quality is crucial. It gives you maximum options with 5 speeds and 950 m<sup>3</sup>/h airflow capacity. The digital screen and timer function for easy operation, and a PM2.5 air quality monitor for timely and visual monitoring of air quality in real-time. The specific noise reduction air duct design makes it able to quickly clean the air, solve the noise issue, save electricity, and avoid the hassle of dealing with multiple units.

### 濾網 / FILTERS



- 1 尼龍濾網  
Nylon Mesh Filter
- 2 初效濾網  
Pleated Media Filter
- 3 活性炭濾網  
Activated Carbon Filter
- 4 HEPA 濾網  
HEPA Filter

PM2.5 空氣質量顯示燈，時刻監測空氣質量  
Equipped with a PM2.5 air quality monitor to monitor air quality in real-time



Model	Volt & Cycle	Power	Air Changes Per Hour (100m <sup>3</sup> )	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
X-2830	220-240V~, 50Hz	220 W	9	950 m <sup>3</sup> /h	11.0 kg	42.2 x 26.4 x 48 cm



# 消毒系列 X-2830U

## PORTABLE HEPA AIR FILTRATION SYSTEM



**XPOWER X-2830U** 高端 UV 紫外線空氣淨化器，配有 5 種速度和 950 m<sup>3</sup>/h 風量。先進的速度設置數字控制、定時器功能和 PM2.5 空氣質量指標燈，讓操作更便捷直觀。定時器可以靈活使用，實現無人看守。配置 20 瓦紫外線消毒殺菌燈，甲型流感病毒 H1N1 去除率達 99.99%，白色葡萄球菌殺滅率達 99.9%，有效殺除多種病毒細菌。UV 燈技術結合多重過濾系統運行，以增強對空氣中污染物的消除。二氧化鈦被 UV 燈紫外線光激活，高效分解吸煙、烹飪和寵物產生的殘留氣味分子。五重漸進式的淨化系統：**NFS13+PF13+CF13+HEPA50-33+TiO2+UV 燈。**


The **XPOWER X-2830U** high-end UVC air sterilizing machine gives you maximum options with 5 speeds and 950 m<sup>3</sup>/h airflow capacity. Advanced digital controls for speed settings, a timer function, and a PM2.5 air quality meter make it the most user-friendly, easy-to-set-up air scrubber on the market, and the timer makes off-hours operation a breeze.

Equipped with **20W UV lights**, the removal rate of the H1N1 flu virus is up to **99.99%** and the killing rate of white staphylococcus is up to **99.9%**, which effectively kills a variety of viruses and bacteria.

UV-C light technology works with filters to enhance the elimination of airborne pollutants. Titanium Dioxide is activated by the UV-C light to decompose remaining odor molecules caused by smoking, cooking, and pets.

It includes 5-stage filter system: **NFS13 + PF13 + CF13 + HEPA50-33 + TiO2 + UV lamp.**

### 20W 紫外線燈 / 20W UV Lights



### 濾網 / FILTERS



- 1 尼龍濾網  
Nylon Mesh Filter
- 2 初效濾網  
Pleated Media Filter
- 3 活性炭濾網  
Activated Carbon Filter
- 4 HEPA 濾網  
HEPA Filter
- 5 TiO2 二氧化鈦濾網  
TiO2 Titanium dioxide filter

Model	Volt & Cycle	Power	Air Changes Per Hour (100m <sup>3</sup> )	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
X-2830U	220-240V~, 50Hz	230 W	9	950 m <sup>3</sup> /h	11.7 kg	42.2 x 27.1 x 48 cm





## AP-1500U

UV-C AIR SCRUBBERS



XPOWER AP-1500U 空氣淨化器具有耐撞擊、耐跌落性能，可在惡劣環境中使用。配置 54 瓦紫外線消毒滅菌燈，白色葡萄球菌殺滅率達 99.9%，有效殺除多種病毒細菌，有助營造安全的工作環境，保護人員身體健康。採用四級過濾系統（尼龍濾網，初效濾網，活性炭濾網和 V 型 HEPA 高效濾網）可以過濾精度低至 0.3um 顆粒，過濾效率高達 99.97%，有效遏制黴菌及微生物生長。支援無級調速，隨心隨境調節風量，使用方便。空氣質量指示燈，實現空氣質量可視化。壓力表，實時監控濾網是否已經滿載。適用於建築、醫院、學校、門衛、工業應用、黴菌修復、水災修復、大型公共場所、大型商業應用、建築裝修、油漆工程、傢俬安裝、以及其他粉塵顆粒、甲醛、揮發性氣體等污染嚴重的工作環境。


The XPOWER AP-1500U air purifier is impact and drop resistant and suitable for use in even harsh environments. Equipped with 54W UV lights, the killing rate of white staphylococcus is up to 99.9%, which effectively kills a variety of viruses and bacteria. It is good for creating a safe working environment and protecting employees' health. It adopts a four-stage filtration system (nylon mesh filter, pleated media filter, carbon filter, V-shaped HEPA filter) to capture pollutants and removes 99.97% of 0.3-micro sized particulates and then inhibits the growth of mold and microorganisms. The variable speeds allow you to adjust the desired airflow. PM2.5 air quality monitor will monitor air quality in real-time, while the pressure gauge will remind you to clean or replace the filter. Perfect for construction, hospital, school, janitorial, industrial applications, mold remediation, water damage restoration, large public spaces, large commercial applications, construction and renovation, home painting, furniture installation, and other harsh working environments with serious pollution such



Model	Volt & Cycle	Power	Air Changes Per Hour (100m <sup>3</sup> )	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
AP-1500U	220-240V~, 50Hz	220 W	11	1200 m <sup>3</sup> /h	22.9 kg	49.3 x 55.5 x 91 cm

## M-25 / M-27

AXIAL AIR MOVER WITH OZONE GENERATOR



XPOWER 臭氧機 M-25/M-27 採用無刷直流電機，提供極佳效能和強大氣流。先進馬達和螺旋格柵設計可產生 2700 m<sup>3</sup>/h 的集中氣流，最遠可達 20 米，迅速向室內輸送臭氧。有效消除由黴菌、黴菌、香煙、火災、水災、動物等引起的異味。非常適合對酒店套房、家庭、辦公室、地下室等中大型區域進行消毒和除臭。

XPOWER' s ozone axial fan M-25/M-27 with brushless DC motor offers ultimate energy efficiency and powerful extended airflow with penetrating ozone coverage. With advanced roto-motor and front grill design, it can create focused airflow of 2700 m<sup>3</sup>/h that travels up to 20m. This delivers ozone to the room quickly. It will eliminate the most severe odors caused by mold, mildew, tobacco, fire and smoke, water and flood damage, animals, and more. They are perfect for sanitizing and deodorizing medium to large areas such as hotel suites, homes, offices, basements, and more.



Model	Volt & Cycle	Ozone Output	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
M-25	220-240V~, 50Hz	5 g/h	2700 m <sup>3</sup> /h	5.6 kg	39.1 x 22.4 x 43.7 cm
M-27	220-240V~, 50Hz	10 g/h	2700 m <sup>3</sup> /h	5.6 kg	39.1 x 22.4 x 43.7 cm







## 噴霧機系列 ULV FOGGERS



XPOWER ULV 噴霧機系列體積小巧，性能卓越。溶液流速可調，霧滴顆粒直徑低於 50 微米。可視水箱位於機身側面，便於監測液體容量。支持方便快速添加或補充空氣消毒劑、消毒液或其他除味、除甲醛溶液。

XPOWER' s ULV (ultra-low volume) cold foggers offer the ultimate performance in a lightweight and compact design. The flow rate of solutions is adjustable and produces an average droplet size of 50 microns and smaller. Monitoring liquid levels is made easy with the reservoir level window located on the side. Refilling or emptying disinfectants, sanitizers, and other solutions is made convenient by removing the tank cover on the back of each unit.

### F-8 / F-16 交流帶電線噴霧機

F-8 和 F-16 交流式噴霧機是室內應用的最佳選擇。適用於辦公室、餐廳、學校、醫院、老年中心、寵物寄養、溫室、商業地產和其他商業場所的除菌和空氣表面消毒應用。

The corded ULV cold foggers (F-8 & F-16) are ideal for a variety of full coverage applications including anti-microbial application and air/surface disinfecting applications for office, restaurants/food services, schools, hospitals, senior centers, pet boarding, greenhouses, commercial properties, and other places of business.



### F-8B / F-16B 無線可充電噴霧機

無線可充電式噴霧機 (F-8B、F-16B) 可連續使用 16 分鐘 (F-8B) 至 32 分鐘 (F-16B)。兩款的電池均可在 3 小時內充滿電。

The cordless and rechargeable ULV cold foggers (F-8B, F-16B) can provide from 16 minutes (F-8B) to 32 minutes (F-16B) of continuous use. All cordless B units (battery) can be fully charged within 3 hours.

### F-18B / F-35B 直流無刷電機系列

直流無刷電機系列具有更大功率和更佳能效。F-18B 和 F-35B 持續運作範圍更廣，F-18B 可續航 30-50 分鐘，而 F-35B 可續航 50-85 分鐘。

The DC Brushless Motor series features more power and better energy efficiency. DC Brushless F-18B and F-35B offer extended coverage with continuous run times of 30-50 minutes (F-18B) and 50-85 minutes (F-35B) of battery life.




### 可調節流量 / ADJUSTABLE AIRFLOW



### 細節 / PRODUCT FEATURES



Model	Power	Amps	Spray Distance	Weight (N.W.)	Dimension (L x W x H)	Tank Capacity
F-8	350 W	3 A	10 m	2.0 kg	30.7 x 16.2 x 19.7 cm	800 ml
F-8B	280 W	Battery	8 m	2.0 kg	30.7 x 16.2 x 19.7 cm	600 ml
F-16	550 W	4.5 A	12 m	2.5 kg	37.1 x 17.2 x 21 cm	1600 ml
F-16B	320 W	Battery	10.5 m	2.6 kg	37.1 x 17.2 x 21 cm	1200 ml
F-18B	320 W	Battery	12.5 m	2.7 kg	37.1 x 17.2 x 21 cm	1200 ml
F-35B	320 W	Battery	12.5 m	3.4 kg	48.4 x 17.7 x 21.7 cm	2500 ml







# XD-85LH


LGR Dehumidifier



XPOWER XD- 85LH LGR 除濕機採用最新的先進濕度控制技術。搭配高效雙進氣系統，該機器可在低溫條件下正常運作。這款 LGR 除濕機具有專業級製造商提供的所有功能。數字顯示幕、智能控制、集成手柄和自動水泵使其成為高濕度環境下除濕的首選。

The XPOWER XD-85LH LGR Dehumidifier utilizes the latest advanced humidity control technology. With a high-efficiency dual intake system, the XD-85LH is capable of working stable at low temperatures. This LGR Dehumidifier includes all the features you have come to expect from a professional-grade manufacturer. A digital display, smart control, integrated handles, and a self-purging water pump make it the first choice for the toughest restoration and remediation job sites.

人體力學把手，便於設備運送存放  
Ergonomic handle, comfortable to use



不銹鋼濾網 Stainless Steel Filter



數字顯示幕  
Digital Screen

折疊拉桿  
Foldable Handle

風管導風連接口  
Ducting Frame

內置水泵，揚程可達 4 米  
Built-in water pump -  
Max 4m throw distance

電線和水管繞掛設計  
Wrap-around Cord Design

高強度內嵌腳輪  
Durable Wheels

排水管接口  
Drainage Outlet



Water Removal @Ahm (26.7 C/60%RH)	Water Removal Full Saturation (32.2 C/90%RH)	Power	Weight (N.W.)	Dimension (L x W x H)
35L Per Day	65L Per Day	985 W	32.2 kg	33 x 80.1 x 57.5 cm



# PL-700A

LOW PROFILE AIR MOVER



XPOWER PL-700A 是一款緊湊型低位吹風機。採用 240W 馬達，支持 3 速可調，最大風量為 1700 m<sup>3</sup>/h。寬大進氣口和底部長扁出風口設計有效乾燥地板。PP 材質，堅固耐用。內置電源插座，可供多台設備連接使用。6 台可堆疊設計，節省儲存和運輸空間。

The XPOWER PL-700A is a compact low profile air mover. It comes with a 240W motor, 3-speed, and a maximum of 1700 m<sup>3</sup>/h airflow. A large intake and strategically placed vents on the underside will generate the airflow needed to effectively dry floors. Constructed from durable polypropylene, it can be daisy chained utilizing a built-in power outlet. It can be stacked 6 units for easy transportation and storage.




6層堆疊  
6-Unit Stackable



可5台串聯使用  
Daisy Chain Up To 5 Units

Model	Volt & Cycle	Power	Amps	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
PL-700A	220-240V~, 50Hz	240 W	1 A	1700 m <sup>3</sup> /h	8.7 kg	45 x 45 x 21 cm





# DIY DRYING SOLUTION

4 LOW PROFILE AIR MOVER + 1 DEHUMIDIFIER + 1 AIR SCRUBBER



## ▶ 除濕 DEHUMIDIFICATION

除濕機 LGR Dehumidifier

抽濕機抽出水分，防止損壞。  
The LGR dehumidifier draws out unseen moisture to prevent damage.

## ▶ 蒸發 EVAPORATION

低位風機 Low Profile Air Movers

低位風機加速蒸發，減少乾燥時間。  
The low profile air movers speed up evaporation to reduce drying time.

## ▶ 淨化 PURIFICATION

空淨機 HEPA Air Scrubber

空淨機淨化空氣，降低異味。  
The HEPA air Scrubber cleans the air and reduces odor.



### 24小時黃金時間 防止霉菌生長

在水災發生的 24 小時內  
使用設備。

### 24hr GOLDEN WINDOW to prevent mold growth

Use the equipment within 24 hours  
of the water damage occurring.



### 25%的濕度要求 在極度乾燥環境下

我們的 LGR 除濕機可以將空氣  
相對濕度降低至 25%，吸出  
難以乾燥材料中的水分。

### 25% HUMIDITY LEVEL for an XTREMEDRY Environment

Our LGR dehumidifier can reduce relative  
humidity down to 25% to pull bound  
moisture out of tough-to-dry materials.



### 24小時不間斷 乾燥過程

全天候 24 小時使用我們的  
PRO DIY 設備，獲取專業  
乾燥效果。

### 24hr UNINTERRUPTED drying process



Run our Pro DIY tools for 24 uninterrupted  
hours to begin the process and ge  
professional results.

水管爆裂  
Burst Water Pipe

花灑破裂  
Broken Sprinkler

管道漏水  
HVAC Leaks

潮濕程度高  
High Humidity Levels



# X-8 / X-12 CONFINED SPACE FAN

XPOWER 管道風機，支持無級調速，精準調節風量。可外  
接 8 英寸或 12 英寸風管，有效地加快狹窄區域空氣流通，  
通風降溫、排氣除臭。X-8/X-12 單獨使用時，適用於健身房、  
走廊和其他大面積區域。配合管道軟管，X-8/X-12 適用於各  
種有限空間通風換氣，廢氣抽排，如下水道、船舶、礦井和  
隧道。

The XPOWER' s confined space fans offer complete control of both air velocity and air volume with a variable speed control switch. These fans can efficiently handle any narrow space with their 8" or 12" diameter flexible ducting hose. The X-8 and X-12 can be used without ducts to create high-volume air circulation in gyms, hallways, and other large areas. With its ducting hose, the X-8 and X-12 are the perfect fans to deliver continuous fresh airflow to subterranean manholes, sewers, ships, mines, and tunnels.

- 無級調速開關
- 手柄設計舒適，便於移動
- ABS 外殼，堅固耐用
- 特製密封馬達
- 堅固平衡的底座設計，防滑減震，運行穩定

- Variable speed control switch
- Easy-grip and comfortable handle design
- Durable & rugged ABS plastic housing design
- Powerful sealed induction motor
- Sturdy and balanced base design
- Wrap-around cord design

### 應用 / APPLICATION

(A) 通風 Ventilation



(B) 排氣 Extraction



### 配件 / ACCESSORIES



風管儲存袋  
DUCTING HOSE WITH BAG  
8DH25 (X-8)/12DH25 (X-12)



風管收納器  
DUCT HOSE CARRIER  
8DHC (X-8)



8DHC25

內置手柄，方便運輸，保護風管  
With built-in handle for easy  
transport and helps protect  
duct from damage

Model	Volt & Cycle	Power	Amps	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
X-8	220-240V~, 50Hz	200 W	1.0 A	1600 m <sup>3</sup> /h	5.8 kg	34.5 x 28.3 x 39 cm
X-12	220-240V~, 50Hz	370 W	1.7 A	3400 m <sup>3</sup> /h	9.7 kg	38 x 34.5 x 45.7 cm



## X-34AR

Axial Fan 14" - ABS PLASTIC



**XPOWER X-34AR** 是一款便攜式軸流風扇。配備 **120W** 密封電機，無極調速，定向氣流設計，風量可達 **2600 m³/h**。內置電源插座，可連接 **5** 台機器。搭配 **360°**可調支架，適用於天花板、地板、牆壁等乾燥應用。緊湊尺寸，堆疊設計，運輸方便。

The **XPOWER X-34AR** is a portable axial fan. Features a **120W** sealed motor, variable speeds, and directional airflow design, this unit can reach **2600 m³/h** airflow. The built-in power outlets can safely daisy chain up to 5 units. The **360°** stand helps to optimize ceiling, floor, and wall drying applications. Its compact size and stackable design make transporting stress-free.

Model	Volt & Cycle	Power	Amps	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
X-34AR	220-240V~, 50Hz	115 W	0.95 A	2600 m³/h	7.0 kg	47.2 x 48.8 x 23.9 cm

## FC-420

Circulator Fan 18" POLYPROPYLENE PLASTIC



**XPOWER FC-420** 是一款強勁的空氣循環扇，可產生 **4100 m³/h** 的風量。採用密封感應電機、獨特的格柵設計和空氣翅片技術，可產生穩定的定向空氣流動，為任何空間快速通風。**360°**度支架、**5**檔開關和**3**小時定時器可最大限度地提高工作效率，讓您無憂無慮地處理多項任務。重量輕，可堆疊使用，並配有易攜手柄，便於運輸。

**XPOWER FC-420** is the most powerful air circulator that can produce **4100 m³/h** airflow. Powered by the sealed induction motor, unique grill design, and air fin technology, it can produce consistent directional air movement to quickly ventilate any space. The 360-degree stand, a 5-speed switch, and a 3-hour Set-N-Forget timer maximize productivity and allow you to multi-task without worry. This lightweight unit is stackable and comes with a Grab-N-Go handle for easy transportation.

Model	Volt & Cycle	Power	Amps	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
FC-420	220-240V~, 50Hz	200 W	0.95 A	4100 m³/h	10.6 kg	55.6 x 24.9 x 57.1 cm

## FD-630D

24" Brushless Drum Fan STEEL HOUSING




**XPOWER FD-630D** 鼓風機非常適合在倉庫、谷倉、車房或車間環境中通風換氣。採用 **180W** 直流無刷電機，無級變速可任意調節風量，操作靈活。金屬外殼搭配滾輪，可調角度，便於移動。**FD-630D** 可滿足各種通風需求。

The **XPOWER FD-630D** drum fan is a perfect candidate for your ventilation needs in warehouse, barn, garage, or workshop settings. It features a **180W** DC brushless motor and a variable speed control for easy airflow adjustment. A durable rack equipped with easy-to-roll wheels maximizes portability while offering a wide range of operating positions. The **FD-630D** is ready for your ventilating needs no matter how large or small the task.



Model	Volt & Cycle	Power	Amps	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
FD-630D	220-240V~, 50Hz	180 W	0.8 A	12000 m³/h	13.5 kg	76.5 x 23.5 x 73.5 cm





# FM-68WK / FM-88WK2

## MISTING FAN



XPOWER FM-68WK / FM-88WK2 高壓噴霧風扇，內置 0.55Mpa 高壓水泵，支持 56 度左右旋轉，有效擴大戶外活動範圍。

兩款機器均配置 4 個高壓噴嘴，霧粒直徑小於 50 微米。FM-68WK 最遠噴霧距離高達 8 米，FM-88WK2 最遠噴霧距離高達 10 米。「WK」套件包括 XPOWER WT-45 / WT-90 移動水車，最多可容納 45 升 / 90 升水。內置密封馬達和 RCD 漏電保護器，支持 IPX4 防水等級。

The XPOWER' s FM-68W/FM-88WK2 misting fan with a built-in 0.55Mpa high-pressure water pump and 56° oscillation allow for maximum coverage and cooling for all your outdoor events. They both support 4 nozzles and their droplet sizes are less than 50 micron. The FM-68WK spray distance up to 8m, and the FM-88WK2 spray distance up to 10m. The "WK" kit includes our WT-45 / WT-90 mobile water reservoir., which contain 45 L / 90L water. Features a sealed motor and an inline RCD circuit protection protect it from contaminants & water damage and against accidental shock. Support IPX4 water resistance.




FM-68WK - 3個噴霧噴嘴 / 3 Misting Nozzles  
FM-88WK2 - 4個噴霧噴嘴 / 4 Misting Nozzles




FM-88WK2

FM-68WK

### 細節 / PRODUCT FEATURES



3檔調速  
3 Speeds



45°上下旋轉, 56°左右旋轉  
45° Rotational Positions & 56° Oscillating



3檔噴霧可調  
3 Misting Settings

- FM-68WK - 2小時定時 / 2-Hr Timer
- FM-88WK2 - 4小時定時 / 4-Hr Timer



WT-90




WT-45

### 適用 / APPLICATION



庭院 Patios




游泳池 Pool Areas



野餐 Picnics



活動 Events



寵物度假場 Pet Resorts



溫室 Greenhouse

Model	Capacity of Water Tank	Power	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
FM-68WK	45 L	68 W	1500 m <sup>3</sup> /h	16.2 kg	61.5 x 43 x 90.3 cm
FM-88WK2	90 L	100 W	2500 m <sup>3</sup> /h	19.0 kg	50.4 x 43 x 123.1 cm





## P-80A


### MINI AIR MOVER

**XPOWER P-80A** 超迷你吹風機，1000 m<sup>3</sup>/h 風量，實現高效通風乾燥。一機多用，滿足多種需求，適用於酒店、商務、家庭、車房、汽車等場景。

- 四個吹風角度
- 環繞式儲線設計
- 內置電源插座
- 重量輕、結實耐用、可堆疊
- 節能省電，風量強大
- 設計緊湊，體積小巧
- 快速乾燥地板、櫥櫃、浴室等

**XPOWER P-80A** is a mighty air mover that can blast up to **1000 m<sup>3</sup>/h** airflow for efficient ventilation and drying. It is a perfect solution used in hotels, businesses, homes, garages, auto detailing, and other small-to-midsized drying scenarios.

- 4-angle drying positions
- Wrap-around cord design
- Built-in power outlets for daisy chain
- Lightweight, durable, and stackable
- Low amperage draw with high airflow
- Compact design for tight spaces
- Quickly dry floors, kitchen cabinets, bathrooms & more



0° 20° 45° 90°



可5台串聯使用 / Daisy Chain Up To 5 Units

CE



CE




## P-230AT

### MINI AIR MOVER

**XPOWER P-230AT** 是一款暢銷便攜式多功能的迷你吹風機。3 小時定時器及 4 個吹風角度。內置電源插座，支持快速連接其他電器設備。體積小巧，有效吹乾各種狹窄區域，適用於狹窄空間或 DIY。

- 四個吹風角度
- 環繞式儲線設計
- 內置電源插座
- 重量輕、耐用、可堆疊
- 節能省電，風量強大
- 設計緊湊，體積小巧
- 3 小時計時器
- 快速乾燥地板、櫥櫃、浴室等


The top-selling **XPOWER P-230AT** mini air movers epitomize portability and versatility. It supports a 3-hour timer and 4-angle drying positions. Built-in power outlets can quickly connect other devices. Its small size makes it effective to dry various tight spaces. Perfect for drying any tight or occupied spaces, home DIY, etc.



- 4-angle drying positions
- Wrap-around cord design
- Built-in power outlets for daisy chain
- Lightweight, durable, and stackable
- Low amperage draw with high airflow
- Compact design for tight spaces
- 3-Hour Timer
- Quickly dry floors, kitchen cabinets, bathrooms, & more

Model	Volt & Cycle	Power	Amps	Rated Airflow	Weight	Dimension (L x W x H)
P-80A	220-240V~, 50Hz	115 W	0.5 A	1000 m <sup>3</sup> /h	3.2 kg	29.2 x 23.6 x 31.2 cm

Model	Volt & Cycle	Power	Amps	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
P-230AT	220-240V~, 50Hz	180 W	0.7 A	1200 m <sup>3</sup> /h	4.3 kg	27.1 x 31.5 x 33.8 cm







## P-400T

### AIR MOVER



XPOWER P-400T 吹風機採用先進的風道設計，風量高達 2700 m<sup>3</sup>/h，有效快速烘乾地毯、地板、傢俱、窗戶、牆壁、櫥櫃、爬行空間等。配置三檔調速和 3 小時定時器，可隨心調節風力及時間。採用先進注塑技術，確保持久耐用和最佳性能。體積小巧，重量輕，便於運輸。這款節能吹風機適合專業人士和家庭使用。

The XPOWER P-400T air mover with an advanced air duct design can produce up to 2700 m<sup>3</sup>/h airflow, effectively and quickly dry carpets, floors, furniture, windows, walls, cabinets, crawlspaces, etc. It comes with three-speed and a 3-hour timer for easily adjusting airflow and operation time. The state-of-the-art injection mold technology ensures long-lasting durability and optimum performance. Its lightweight and compact size makes it easy to transport. This energy-saving air mover is suitable for both professional and home use.

Model	Volt & Cycle	Power	Amps	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
P-400T	220-240V~, 50Hz	350 W	1.5 A	2700 m <sup>3</sup> /h	6.8 kg	35.3 x 37.6 x 37 cm



## P-600TH

### AIR MOVER



XPOWER P-600TH 是一款輕巧、移動方便的吹地機。3 檔速度可調任意調節風量，操作靈活。搭配 3 小時定時器，伸縮手柄以及車輪，增加其多功能性和便利性。3 個吹風角度使該款機器能夠快速有效乾燥地毯、地板、牆壁及大面積地方。

The XPOWER P-600TH is a lightweight and mobile air mover. It features 3 adjustable speeds, a 3-hour timer, a telescopic handle, and wheels to add versatility and convenience. The 3 drying positions allow it to dry carpets, floors, walls, and large areas quickly and efficiently.

Model	Volt & Cycle	Power	Amps	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
P-600TH	220-240V~, 50Hz	520 W	2.2 A	4100 m <sup>3</sup> /h	9.5 kg	40.5 x 43 x 42 cm

## P-800TH

### AIR MOVER



XPOWER P-800TH 吹地機專為商用場景而設，可以快速有效地吹乾大面積區域。配置 3 檔調速，3 小時定時器及 3 個吹風角度（0°、20°和 90°），該裝置能夠快速有效乾燥地毯、地板、牆壁、天花板、油漆及水浸區域。搭配伸縮手柄和輪子，方便移動。輕量型及可堆疊設計，便於運輸存放。

The XPOWER P-800TH air mover is designed to quickly and effectively dry large areas in commercial and residential applications. Features 3 speeds, 3-hour timer, and 3-angle drying positions (0°, 20° kickstand & 90°), this unit can quickly and effectively dry carpets, floors, walls, ceilings, paint, or water damage areas. The telescopic handle and wheels are for easy mobility. Lightweight and stackable design make it easy to transport and store.



3層堆疊  
3-Unit Stackable



0°



20°



90°

Model	Volt & Cycle	Power	Amps	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
P-800TH	220-240V~, 50Hz	700 W	3.0 A	5400 m <sup>3</sup> /h	11.8 kg	40.5 x 47.5 x 47.5 cm





# P-250T / P-250NT / P-450T

## SCENTED AIR MOVER



XPOWER 香風機配有專利香珠筒，可快速有效增添香味。它們的性能與 XPOWER 標準吹風機一樣可靠，功率覆蓋 180W 到 350W，節能省電，香味持久。

XPOWER's scented air movers with a patented refillable scent-diffusing cartridge can quickly and efficiently fragrance the air. They perform as reliably as standard XPOWER air movers and are available from 180W to 350W.




### 負離子設計

釋放負離子，淨化空氣，享受每一次清新呼吸

### Negative Ion Design

Release negative ions to purify the air  
Enjoy every breath of fresh air



3 小時定時設計，3 檔調速  
3 Hours Timer, 3 Speeds



乾燥  
Drying




通風  
Cooling



殺菌消毒  
Sterilization



清新空氣  
Air Freshener



### 專利香珠桶

XPOWER 專利香珠桶配搭特製配方香珠，瞬間清新空氣。

### PATENTED CARTRIDGE

Patented scented cartridge with XPOWER specially formulated beads to refresh any space in seconds.



### 空氣質量

負離子功能有助除臭滅菌，瞬間清新空氣。

### AIR QUALITY

Ionizer models are available to help alleviate odors and allergens.

### 香味 Fragrances Available:



西柚  
Grape Fruit



白茶  
White Tea



青檸  
Key Lime

Model	Volt & Cycle	Power	Amps	Rated Airflow	Weight (N.W.)	Dimension (L x W x H)
P-250T	220-240V~, 50Hz	180 W	0.75 A	1200 m <sup>3</sup> /h	4.3 kg	27.1 x 31.5 x 33.8 cm
P-250NT	220-240V~, 50Hz	180 W	0.75 A	1200 m <sup>3</sup> /h	4.3 kg	27.1 x 31.5 x 33.8 cm
P-450T	220-240V~, 50Hz	350 W	15 A	2700 m <sup>3</sup> /h	7.1 kg	35.3 x 37.6 x 37 cm

